

**NEW PRODUCTS NOW AVAILABLE
AT JOHNSTONE SUPPLY
CATALOG #204**

NEW PRODUCTS: MINI-SPLIT AIR CONDITIONER AND HEAT PUMP SYSTEMS FROM



Ductless Mini-Split Systems

K Series, 14.5 SEER, Single Zone, Heat Pumps and Cooling Only

- Inverter variable speed compressor
- Automatic operation for year around comfort
- Vertical auto swing air movement
- Humidity control
- Auto fan speed
- Remote controller with backlit display
- 24 hour on / off timer
- Auto restart after power failure
- Self diagnosis with digital display
- 2 Year Parts / 6 Year Compressor warranty
- 208-230 V



Indoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-346	FTXN09KEVJU	Indoor	14.5	9,500	10,000	342	4.8	15	1/4"	3/8"	30-5/16"	11-1/8"	7-13/16"	16.0
B73-347	FTXN12KEVJU	Indoor	14.0	12,000	13,500	357	7.0	15	1/4"	3/8"	30-5/16"	11-1/8"	7-13/16"	16.0
B73-348	FTXN15KVJU	Indoor	14.5	15,000	18,000	568	15.5	20	1/4"	1/2"	41-5/16"	11-7/16"	9-3/8"	26.5
B73-349	FTXN18KVJU	Indoor	14.5	18,000	21,600	614	15.5	20	1/4"	1/2"	41-5/16"	11-7/16"	9-3/8"	26.5
B73-350	FTXN24KVJU	Indoor	14.0	22,000	24,000	614	15.5	20	1/4"	1/2"	41-5/16"	11-7/16"	9-3/8"	26.5

Heat Pump Outdoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-321	RXN09KEVJU	Outdoor	14.5	9,500	10,000	342	4.8	15	1/4"	3/8"	25-15/16"	21-11/16"	10-3/4"	68.0
B73-322	RXN12KEVJU	Outdoor	14.0	12,000	13,500	357	7.0	15	1/4"	3/8"	25-15/16"	21-11/16"	10-3/4"	68.0
B73-323	RXN15KEVJU	Outdoor	14.5	15,000	18,000	568	15.5	20	1/4"	1/2"	31-5/16"	23-7/16"	11-13/16"	93.0
B73-324	RXN18KEVJU	Outdoor	14.5	18,000	21,600	614	15.5	20	1/4"	1/2"	31-5/16"	23-7/16"	11-13/16"	93.0
B73-325	RXN24KEVJU	Outdoor	14.0	22,000	24,000	614	15.5	20	1/4"	1/2"	31-5/16"	23-7/16"	11-13/16"	93.0


Cooling Only Outdoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-316	RKN09KEVJU	Outdoor	14.5	9,500	342	4.8	15	1/4"	3/8"	25-15/16"	21-11/16"	10-3/4"	68
B73-317	RKN12KEVJU	Outdoor	14.0	12,000	357	7.0	15	1/4"	3/8"	25-15/16"	21-11/16"	10-3/4"	68
B73-318	RKN15KEVJU	Outdoor	14.5	15,000	568	15.5	20	1/4"	1/2"	31-5/16"	23-7/16"	11-13/16"	93
B73-319	RKN18KEVJU	Outdoor	14.5	18,000	614	15.5	20	1/4"	1/2"	31-5/16"	23-7/16"	11-13/16"	93
B73-320	RKN24KEVJU	Outdoor	14.0	22,000	614	15.5	20	1/4"	1/2"	31-5/16"	23-7/16"	11-13/16"	93

Ductless Mini-Split Systems

LV Series Single Zone, R410A Heat Pumps

- Wall mount and slim duct indoor units
- Inverter variable speed compressor
- Automatic operation for year around comfort
- Intelligent eye infrared movement sensor
- Vertical auto swing air movement
- Humidity control
- Auto fan speed
- Econo mode for controlled energy consumption
- Remote controller with backlit display
- LCD Wireless remote control
- 24 hour on / off timer
- Auto restart after power failure
- Self diagnosis with digital display
- 5 Year parts / 7 year compressor / 1 Year labor warranty
- 208-230 V



Slim Duct Indoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-344	FDXS09LVJU	Indoor	15.1	8,500	10,000	305	8.00	15	1/4"	3/8"	27-9/16"	7-7/8"	24-7/16"	47
B73-345	FDXS12LVJU	Indoor	15.5	11,500	11,500	305	8.75	15	1/4"	3/8"	27-9/16"	7-7/8"	24-7/16"	47

Wall Mount Indoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-339	FTXS09LVJU	Indoor	24.5	9,000	9,000	420	8.00	15	1/4"	3/8"	31-1/2"	11-5/8"	8-7/16"	20
B73-340	FTXS12LVJU	Indoor	23.0	12,000	12,000	438	8.75	15	1/4"	3/8"	31-1/2"	11-5/8"	8-7/16"	22
B73-341	FTXS15LVJU	Indoor	20.6	15,000	15,000	593	13.75	20	1/4"	1/2"	41-5/16"	13-3/8"	9-3/4"	31
B73-342	FTXS18LVJU	Indoor	20.3	18,000	18,000	625	13.75	20	1/4"	1/2"	41-5/16"	13-3/8"	9-3/4"	31
B73-343	FTXS24LVJU	Indoor	20.0	21,500	25,400	699	17.50	20	1/4"	5/8"	41-5/16"	13-3/8"	9-3/4"	31

Outdoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-311	RXS09LVJU	Outdoor	24.5	9,000	9,000	420	8.00	15	1/4"	3/8"	30-1/8"	21-5/8"	11-1/4"	75
B73-312	RXS12LVJU	Outdoor	23.0	12,000	12,000	438	8.75	15	1/4"	3/8"	30-1/8"	21-5/8"	11-1/4"	75
B73-313	RXS15LVJU	Outdoor	20.6	15,000	15,000	593	13.75	20	1/4"	1/2"	32-1/2"	28-15/16"	11-13/16"	104
B73-314	RXS18LVJU	Outdoor	20.3	18,000	18,000	625	13.75	20	1/4"	1/2"	32-1/2"	28-15/16"	11-13/16"	104
B73-315	RXS24LVJU	Outdoor	20.0	21,500	25,400	699	17.50	20	1/4"	5/8"	35-7/16"	30-5/16"	12-5/8"	159

Ductless Mini-Split Systems

Quaternity Series, 26.1 SEER, Single Zone, R410A Heat Pumps

- Inverter variable speed compressor
- Automatic operation for year around comfort
- Intelligent eye infrared movement sensor
- Vertical auto swing air movement
- Humidity control
- Auto fan speed
- Econo mode for controlled energy consumption
- Remote controller with backlit display
- LCD Wireless remote control
- 24 hour on / off timer
- Auto restart after power failure
- Self diagnosis with digital display
- 5 Year parts / 7 year compressor / 1 Year labor warranty
- 208-230 V

Quaternity
by DAIKIN



Indoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-329	FTXG09HVJU	Indoor	26.1	9,000	12,000	438	14.5	15	1/4"	3/8"	35-1/32"	12"	8-7/32"	31
B73-330	FTXG12HVJU	Indoor	24.2	12,000	16,000	470	14.5	15	1/4"	3/8"	35-1/32"	12"	8-7/32"	31
B73-331	FTXG15HVJU	Indoor	21.0	15,000	18,000	494	14.5	15	1/4"	3/8"	35-1/32"	12"	8-7/32"	31


Outdoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-303	RXG09HVJU	Outdoor	26.1	9,000	12,000	438	14.5	15	1/4"	3/8"	31-9/32"	22-3/8"	11-7/32"	99
B73-304	RXG12HVJU	Outdoor	24.2	12,000	16,000	470	14.5	15	1/4"	3/8"	31-9/32"	22-3/8"	11-7/32"	99
B73-305	RXG15HVJU	Outdoor	21.0	15,000	18,000	494	14.5	15	1/4"	3/8"	31-9/32"	22-3/8"	11-7/32"	99

Ductless Mini-Split Systems

Multi-Zone, R410A, Heat Pumps

- Inverter variable speed compressor
- Automatic operation for year around comfort
- Intelligent eye infrared movement sensor
- Vertical auto swing air movement
- Humidity control
- Auto fan speed
- Econo mode for controlled energy consumption
- Remote controller with backlit display
- LCD Wireless remote control
- Auto restart
- 24 hour on / off timer
- Auto restart after power failure
- Self diagnosis with digital display
- 5 Year parts / 7 year compressor / 1 Year labor warranty
- 208-230 V



Wall Mount Indoor Units

ORDER#	MFG#	UNIT TYPE	BTUH COOLING	BTUH HEATING	CFM HIGH	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-351	CTXS07LVJU	Indoor	7,000	8,500	350	20	1/4"	3/8"	31-1/2"	11-5/8"	8-7/16"	20
B73-352	CTXS09HVJU	Indoor	8,500	10,000	400	20	1/4"	3/8"	31-5/16"	11-7/16"	9-3/8"	20
B73-353	CTXS12HVJU	Indoor	11,500	11,500	400	20	1/4"	3/8"	31-5/16"	11-7/16"	9-3/8"	20
B73-341	FTXS15LVJU	Indoor	15,000	18,000	593	20	1/4"	1/2"	41-5/8"	13-3/8"	9-3/4"	31
B73-342	FTXS18LVJU	Indoor	18,000	21,600	625	20	1/4"	1/2"	41-5/8"	13-3/8"	9-3/4"	31
B73-343	FTXS24LVJU	Indoor	21,500	25,400	699	20	1/4"	5/8"	41-5/16"	13-3/8"	9-3/4"	31

Slim Duct Indoor Units

ORDER#	MFG#	UNIT TYPE	BTUH COOLING	BTUH HEATING	CFM HIGH	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-344	FDXS09LVJU	Indoor	8,500	10,000	305	20	1/4"	3/8"	27-9/16"	7-7/8"	24-7/16"	47
B73-345	FDXS12LVJU	Indoor	11,500	11,500	305	20	1/4"	3/8"	27-9/16"	7-7/8"	24-7/16"	47
B73-354	CDXS15LVJU	Indoor	15,000	18,000	424	20	1/4"	1/2"	35-7/16"	7-7/8"	24-7/16"	60
B73-355	CDXS18LVJU	Indoor	18,000	21,600	424	20	1/4"	1/2"	35-7/16"	7-7/8"	24-7/16"	60

Outdoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-326	2MXS18GVJU	Outdoor	19.5	18,000	18,000	11.1	20	1/4"	3/8"	32-1/2"	28-15/16"	11-13/16"	139
B73-327	3MXS24JVJU	Outdoor	14.8	24,000	24,000	17.8	20	1/4"	3/8"	35-7/16"	30-5/16"	12-5/8"	168
B73-328	4MXS32GVJU	Outdoor	17.2	30,600	30,600	18	20	1/4"	1/2"	35-7/16"	30-5/16"	12-5/8"	168

Ductless Mini-Split Systems

SkyAir, Single Zone, Heat Pumps and Air Conditioners

Wall Mount, DC Ducted, Round Flow Cassette,

Ceiling Suspended and Inverter Ducted indoor models

- Brushless DC Compressor
- Automatic operation for year around comfort
- Intelligent eye infrared movement sensor
- Vertical auto swing air movement
- Humidity control
- Auto fan speed
- Econo mode for controlled energy consumption
- Remote controller with backlit display
- LCD Wireless remote control
- 24 hour on / off timer
- Auto restart after power failure
- Self diagnosis with digital display
- 1 Year parts / 6 year compressor / 1 Year labor warranty
- 208-230 V

SkyAir



Wall Mount Indoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-365	FAQ18PVJU	Indoor	18.6	18,000	20,000	500	16.5	20	3/8"	5/8"	41-3/8"	11-3/8"	9"	31
B73-366	FAQ24PVJU	Indoor	17.6	24,000	26,000	635	16.5	20	3/8"	5/8"	41-3/8"	11-3/8"	9"	31
B73-374	FTXS30LVJU	Indoor	19.3	30,000	34,800	706	19.5	20	3/8"	5/8"	47-1/4"	13-3/8"	9-7/16"	38
B73-375	FTXS36LVJU	Indoor	17.9	36,000	38,000	770	19.5	20	3/8"	5/8"	47-1/4"	13-3/8"	9-7/16"	38

DC Ducted Indoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-367	FBQ18PVJU	Indoor	17.5	18,000	20,000	635	16.5	20	1/4"	1/2"	39-3/8"	11-13/16"	27-9/16"	80
B73-368	FBQ24PVJU	Indoor	16.5	24,000	27,000	688	16.5	20	3/8"	5/8"	39-3/8"	11-13/16"	27-9/16"	80
B73-369	FBQ30PVJU	Indoor	16.0	30,000	34,000	882	16.5	20	3/8"	5/8"	39-3/8"	11-13/16"	27-9/16"	80
B73-370	FBQ36PVJU	Indoor	17.5	36,000	40,000	1130	27	30	3/8"	5/8"	55-1/8"	11-13/16"	27-9/16"	102
B73-371	FBQ42PVJU	Indoor	16.0	42,000	47,000	1377	27	30	3/8"	5/8"	55-1/8"	11-13/16"	27-9/16"	102

Round Flow Ceiling Cassette Indoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-381	FCQ18PAVJU	Indoor	17.2	18,000	20,000	560	16.5	20	1/4"	1/2"	33-1/16"	9-11/16"	33-1/16"	43
B73-382	FCQ24PAVJU	Indoor	16.8	24,000	27,000	780	16.5	20	3/8"	5/8"	33-1/16"	9-11/16"	33-1/16"	43
B73-383	FCQ30PAVJU	Indoor	15.8	30,000	34,000	830	16.5	20	3/8"	5/8"	33-1/16"	9-11/16"	33-1/16"	43
B73-384	FCQ36PAVJU	Indoor	17.5	36,000	40,000	1180	27	30	3/8"	5/8"	33-1/16"	11-5/16"	33-1/16"	43
B73-385	FCQ42PAVJU	Indoor	16	42,000	47,000	1220	27	30	3/8"	5/8"	33-1/16"	11-5/16"	33-1/16"	203

Ceiling Suspended Indoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-393	FHQ18PVJU	Indoor	17.2	18,000	20,000	790	16.5	20	3/8"	5/8"	62-5/8"	7-11/16"	26-3/4"	90
B73-394	FHQ24PVJU	Indoor	16.8	24,000	27,000	790	16.5	20	3/8"	5/8"	62-5/8"	7-11/16"	26-3/4"	90
B73-395	FHQ30PVJU	Indoor	15.8	30,000	34,000	790	27	30	3/8"	5/8"	62-5/8"	7-11/16"	26-3/4"	90
B73-396	FHQ36MVJU	Indoor	17.5	36,000	37,500	830	16.5	20	3/8"	5/8"	62-5/8"	7-11/16"	26-3/4"	90
B73-397	FHQ42MVJU	Indoor	16	40,500	39,500	850	27	30	3/8"	5/8"	62-5/8"	7-11/16"	26-3/4"	90

Inverter Ducted Indoor Units

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-388	FTQ18PBVJU	Indoor	20	18,000	20,000	600	1.5	20	1/4"	1/2"	22"	40-1/8"	26"	150
B73-389	FTQ24PBVJU	Indoor	19	24,000	27,000	800	1.6	20	3/8"	5/8"	22"	40-1/8"	26"	150
B73-390	FTQ30PBVJU	Indoor	19.5	30,000	34,000	1000	2.3	30	3/8"	5/8"	22"	58-1/4"	26"	192
B73-391	FTQ36PBVJU	Indoor	18	36,000	40,000	1200	2.8	30	3/8"	5/8"	22"	58-1/4"	26"	192
B73-392	FTQ42PBVJU	Indoor	17	40,000	47,000	1400	3.6	30	3/8"	5/8"	22"	58-1/4"	26"	203

Outdoor Heat Pump Unit

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	BTUH HEATING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-356	RZQ18PVJU9	Outdoor	18.6	18,000	20,000	500	16.5	20	3/8"	5/8"	35-7/16"	30-5/16"	12-5/8"	15
B73-357	RZQ24PVJU9	Outdoor	17.6	24,000	26,000	635	16.5	20	3/8"	5/8"	35-7/16"	30-5/16"	12-5/8"	15
B73-358	RZQ30PVJU9	Outdoor	16.0	30,000	34,000	882	16.5	20	3/8"	5/8"	35-7/16"	30-5/16"	12-5/8"	150
B73-363	RXS30LVJU	Outdoor	19.3	30,000	34,800	706	19.5	20	3/8"	5/8"	37"	38-15/16"	12-5/8"	179
B73-359	RZQ36PVJU9	Outdoor	17.5	36,000	40,000	1130	27	30	3/8"	5/8"	35-7/16"	52-15/16"	12-5/8"	283
B73-364	RXS36LVJU	Outdoor	17.9	36,000	38,000	770	19.5	20	3/8"	5/8"	37"	38-15/16"	12-5/8"	179
B73-360	RZQ42PVJU9	Outdoor	16.0	42,000	47,000	1377	27	30	3/8"	5/8"	35-7/16"	52-15/16"	12-5/8"	283

Outdoor Cooling Only Unit

ORDER#	MFG#	UNIT TYPE	SEER	BTUH COOLING	CFM HIGH	AMPS COOLING	MAX. FUSE SIZE	LIQUID CONN.	SUCTION FITTING	WIDTH	HEIGHT	DEPTH	WT. LBS.
B73-306	RZR18PVJU	Outdoor	18.6	18,000	500	16.5	20	3/8"	5/8"	35-7/16"	30-5/16"	12-5/8"	15
B73-307	RZR24PVJU	Outdoor	17.6	24,000	635	16.5	20	3/8"	5/8"	35-7/16"	30-5/16"	12-5/8"	15
B73-308	RZR30PVJU	Outdoor	16.0	30,000	882	16.5	20	3/8"	5/8"	35-7/16"	30-5/16"	12-5/8"	150
B73-332	RKS30LVJU	Outdoor	19.3	30,000	706	19.5	20	3/8"	5/8"	37"	38-15/16"	12-5/8"	179
B73-309	RZR36PVJU	Outdoor	17.5	36,000	1130	27	30	3/8"	5/8"	35-7/16"	52-15/16"	12-5/8"	283
B73-333	RKS36LVJU	Outdoor	17.9	36,000	770	19.5	20	3/8"	5/8"	37"	38-15/16"	12-5/8"	179
B73-310	RZR42PVJU	Outdoor	16.0	42,000	1377	27	30	3/8"	5/8"	35-7/16"	52-15/16"	12-5/8"	283

SALES AND MARKETING INFORMATION


Daikin Absolute Comfort is a leap beyond conventional air conditioning, an advanced solution that delivers: The absolute engineering and technical know-how. Since the invention of Variable Refrigerant Volume (VRV®) in 1982, Daikin has constantly demonstrated its technological leadership with outstanding production capabilities, top of the line product features, and superior product support.

Daikin has sold millions of systems in more than 45 countries under any climate conditions. Heat Pump systems with superior heating capabilities as low as -4°F, Cooling Only systems providing cooling even when outside temperature falls to 0°F are just a few examples of Daikin's products wide scope of performance. Daikin manufactures every major component of its systems and is the only company in the industry that produces its own refrigerant.

Along with their technological and aesthetic sophistication, Daikin systems are backed by one of the best warranties in the industry. Technicians and customers worldwide recognize Daikin for its outstanding service and support.

Complete product information is available from Daikin's full line catalog at www.daikinac.com or links to the individual product brochures are below.

SPLIT SYSTEMS



Daikin offers a full product line of single-zone and multi-zone heat pump and air conditioning systems. 2-port, 3-port and 4-port Multi-Split Systems are able to serve 2, 3 or 4 zones (rooms) from over 200 possible combinations. Choices include: all wall mount units, all slim duct units or a combination of both. All units are AHRI rated and offer SEER ratings from 13 up to 26 SEER depending on the system and the match up combination. [Link to Split System brochure.](#)

SKYAIR SYSTEMS



Designed for use in shops, restaurants and small offices, the innovative SkyAir R-410A inverter system provides a comfortable environment and offers substantial energy savings and operating efficiencies versus conventional air conditioning systems. The single-phase, easy-to-install system enables Daikin to offer a complete range of heat pumps. In addition, the cooling only models are a cost effective cooling solution where heating is already provided by another

system or simply unnecessary and a perfect fit for computer rooms, telecom rooms, offices, shops, restaurants, or classrooms.

Ranging from 18,000 Btu/h to 42,000 Btu/h, the innovative SkyAir system is designed to quietly blend into the ambience of shops, restaurants, small offices or home environments. With a choice of a wall mounted, 4-way cassette or ceiling suspended indoor units and a long piping length of up to 230 ft., the system allows a greater flexibility of installation. [Link to SkyAir Brochure.](#)

INVERTER DUCTED SYSTEM



The Daikin Inverter Ducted line is a cost-effective alternative to traditional high-efficiency gas furnace/AC systems. These new Daikin products provide more comfort because they are equipped with Daikin Constant Comfort inverter technology. Daikin Inverter Ducted systems offer up to 100% heating capacity when the outside temperature is as low as 14°F (systems can operate in heating mode down to 0°F), making them cheaper to run than traditional heat-pump systems in most climates. They are also more compact and quieter than traditional units. [Link to Inverter Ducted brochure.](#)